




800 mm Ø

6 POLES/POLOS

Technical curves / Curvas características



Acoustic Characteristics / Características acústicas

Sound power level spectrum dB(A) at octave average frequencies (Hz) measured at the fan inlet
Espectros de potencia sonora en dB(A) en aspiración con conducto a la descarga

		Frecuencia (HZ)							
		63	125	250	500	1000	2000	4000	8000
HRST/6-800/24 Δ	L	52	66	65	69	71	73	69	63
	M	49	64	63	66	70	71	66	59
	H	48	63	62	66	70	70	65	57
HRST/6-800/24 Y	L	51	61	61	66	69	69	66	60
	M	49	59	58	63	68	66	61	54
	H	48	56	56	61	66	63	58	51

		Frecuencia (HZ)							
		63	125	250	500	1000	2000	4000	8000
HRST/6-800/28 Δ	L	52	67	66	69	72	73	70	64
	M	50	65	64	67	74	71	66	59
	H	50	64	64	66	70	70	65	58
HRST/6-800/28 Y	L	52	62	62	67	70	70	66	60
	M	50	60	59	64	69	67	62	55
	H	49	55	57	62	66	62	58	53

		Frecuencia (HZ)							
		63	125	250	500	1000	2000	4000	8000
HRST/6-800/31 Δ	L	50	60	68	69	71	70	68	62
	M	52	61	66	67	69	68	66	62
	H	55	62	68	70	72	70	67	63
HRST/6-800/31 Y	L	50	60	68	69	71	70	68	62
	M	52	52	58	60	63	62	60	53
	H	51	53	58	61	65	63	60	53



Características a título informativo. Soler & Palau, S.A. se reserva el derecho a modificarlas sin previo aviso.

Technical specifications for information purposes only. Soler & Palau, S.A. reserves the right to change them without any previous notice.